

ACBS 🗸 GMS 🗸 PBS 🗸

#### Description

### Food for special medical purposes.

HCU express® is an unflavoured powdered methionine free® protein substitute containing essential and non-essential amino acids, carbohydrate, vitamins, minerals and trace elements.

# Indications

HCU express is for the dietary management of Homocystinuria (HCU) from 3 years onwards.

#### Dosage and Administration

To be determined by the clinician or dietitian, and is dependent on the age, body weight and medical condition of the patient.

The product can be used individually or interchanged to meet individual protein requirements.

- 1. The daily protein substitute requirement is given as HCU express.
- 2. Additional protein is provided from exchanges of natural protein, to provide restricted amino acids in controlled amounts, which is essential for growth and development.
- 3. Foods high in carbohydrate and fat, but low in protein, should be provided to supply the remainder of the energy.

### **Preparation Guidelines**

HCU express can be either taken as a paste, a mini (low volume) drink or a flexi (dilute) drink

# For a paste:



Empty the contents of the sachet, plus a flavour pac sachet if desired, into the heaker



Add approximately 10 - 20ml of cold water. Mix well with a spoon until a smooth paste is formed



Consume immediately.

#### For a mini or flexi drink:



Empty the contents of the sachet, plus a flavour pac sachet if desired, into the heaker



Add approximately 80 - 100ml (for mini drink) or as much cold water as desired (for flexi drink). Secure lid and shake well for 10 seconds.



Consume immediately.

Water or permitted drinks should be taken after HCU express.

#### IMPORTANT NOTICE

Must only be given to people with proven HCU under strict medical supervision.

Suitable from 3 years onwards

Diet must be supplemented with natural protein, water and other nutrients in prescribed quantities to supply methionine, fluid and general nutritional requirements.

Not for use as a sole source of nutrition

For enteral use only

# **Nutritional Information**

		Per 100g	Per MSUD express15 25g	Per MSUD express15 34g
Energy	kJ kcal	1260 297	315 74	429 101
Fat	g	0.20	0.05	0.07
of which saturates	g	0	0	0
Carbohydrate	g	13.7	3.4	4.7
of which Sugars	g	1.0	0.24	0.33
Protein (equivalent)	g	60	15	20
L-Methionine	g	0	0	0
Salt	g	1.3	0.32	0.44

# **Nutritional Information**

		Per 100g	Per MSUD express15 25g	Per MSUD express15 34g			
Vitamins. minerals and trace elements							
Vitamin A (RE)	μg	832	208	283			
Vitamin D	μд	13.2	3.3	4.5			
Vitamin E (αTE)	mg	15.6	3.9	5.3			
Vitamin K	μд	100	25	34			
Vitamin C	mg	108	27	36.7			
Thiamin	mg	2.0	0.50	0.68			
Riboflavin	mg	2.3	0.57	0.78			
Vitamin B6	mg	2.8	0.70	1.0			
Niacin mg (	mg NE)	24.8 (50)	6.2 (12.5)	8.4 (17)			
Folic acid	μg	400	100	136			
Vitamin B12	μд	4.8	1.2	1.6			
Pantothenic Acid	mg	8.0	2.0	2.7			
Biotin	μд	188	47	63.9			
Sodium	mg	508	127	173			
	mmol	22	5.5	7.5			
Chloride	mg	728	182	248			
	mmol	20.4	5.1	6.9			
Potassium	mg	940	235	320			
	mmol	23.6	5.9	8.0			
Calcium	mg	1196	299	407			
	mmol	30	7.5	10.2			
Phosphorus	mg	1068	267	363			
	mmol	33.6	8.4	11.4			
Magnesium	mg	376	94	128			
	mmol	15.6	3.9	5.3			
Iron	mg	21.6	5.4	7.3			
Zinc	mg	21.6	5.4	7.3			
Copper	mg	2.2	0.55	0.75			
lodine	μд	252	63	85.7			
Selenium	μд	88	22	29.9			
Manganese	mg	3.2	0.80	1.1			
Chromium	μд	88	22	29.9			
Molybdenum	μд	144	36	49			
Choline	mg	600	150	204			

#### **Nutritional Information**

Nutritivilai iiiit	nination			
		Per 100g	Per MSUD express15 25g	Per MSUD express15 34g
Amino Acids				
L-Alanine	g	2.93	0.73	1.00
L-Arginine	g	4.86	1.22	1.65
L-Aspartic Acid	g	6.51	1.63	2.21
L-Cystine	g	1.92	0.48	0.65
L-Glutamine	g	5.70	1.43	1.94
Glycine	g	4.20	1.05	1.43
L-Histidine	g	3.05	0.76	1.04
L-Isoleucine	g	4.50	1.13	1.53
L-Leucine	g	7.80	1.95	2.65
L-Lysine	g	5.03	1.26	1.71
L-Phenylalanine	g	3.48	0.87	1.18
L-Proline	g	4.43	1.11	1.51
L-Serine	g	3.42	0.86	1.16
L-Threonine	g	3.42	0.86	1.16
L-Tryptophan	g	1.50	0.38	0.51
L-Tyrosine	g	3.48	0.87	1.18
L-Valine	g	4.98	1.25	1.69
L-Carnitine	mg	64	16	22
Taurine	mg	132	33	45

# Osmolality:

**HCU express 15** 25g + 80ml = 1896m0sm/kg **HCU express 20** 34g + 80ml = 2380m0sm/kg **HCU express15** 25g + 100ml = 1470m0sm/kg

# **Allergen Declaration**

Contains soya (soya lecithin).

# Pack Size/Weight



30 x 25g ← sachets = 750g

express20°

30 x 34g ← sachets = 1.02kg

Flavour: Unflavoured

#### Storage

Store in a cool, dry place.
Sachets are designed for single use and should be used immediately after opening. Any unused powder in an open sachet should be kept in an airtight container or sealed with a clipper and used within 24 hours.





