Preload



Description

Food for special medical purposes

Preload is a powdered neutral-tasting carbohydrate loading drink mix for the pre-operative dietary management of patients undergoing surgery.

Indications

Preload is for use in the pre-operative dietary management of patients undergoing surgery.

Dosage and Administration

To be determined by the healthcare professional and is dependent on the age, body weight and medical condition of the patient.

Preparation Guidelines

- Step 1 Measure out 400ml of water using a measuring jug.
- Step 2 Add the contents of 1 sachet of preload into the measuring jug, stirring continuously until dissolved
- Step 3 Pour into a large glass / beaker and drink.

When to take Preload

Each hospital may have their own specific recommended time to take preload.

- please check with your Healthcare Professional.

The following times are a guide only:

Evening before surgery

Take 2 sachets of preload.

Morning of surgery

Take 1 sachet of preload.



Can be used up to 2 hours before surgery.

IMPORTANT NOTICE

Must only be used under strict medical supervision.

Not for use as a sole source of nutrition Not suitable for children under 3 years of age.

For enteral use only.

PRECAUTIONS

Ise with caution in the following

- Children
- Patients with Diahetes Mellitu
- Patients with delayed gastriemptying

Nutritional Information		Per 100g	Per 50g (1 sachet)
Energy	kJ	1615	808
	kcal	380	190
Fat	g	0	0
of which saturates	g	0	0
Carbohydrate	g	95	47.5
of which sugars	g	9.0	4.5
Protein	g	0	0
Salt	g	< 0.05	< 0.03
Sodium	mg .	<20	<10
	mmol	< 0.9	< 0.4

Osmolality

I sachet (50g) + 400ml water (standard dilution) = 135 mOsm/kg

Storage

Store in a cool, dry place.

Each sachet is intended as a single dose and should be mixed with water once opened. Reconstituted powder that is not intended for immediate consumption should be refrigerated and used within 24 hours.

Pack Size / Weight

Home patient pack -3 x 50g ← sachets - 150g Hospital pack -90 x 50g ← sachets - 4.5kg



